form "OR-M" Lansford General Case with Incision



Preferences, Pick Sheet, and "Anything Special?"

QR for online color version. Select Form "OR-M"

Color code:

Surgeon

Anesthesia

Circulating Nurse

Scrub Tech

Surgical Assistant

Pre-op

Surgeon signs chart, and reviews his <u>own</u> consent form with patient and a witness **prior to** administration of an anxiolytic or other medication rendering a patient incompetent to sign. Minors may receive an anxiolytic prior to the surgeon's consent since they are not signing.

Unsterile Prep Tray

Shave neck if needed.

Regular tip (not fine) skin marking pen and ruler 1% lidocaine with 1:100,000 epinephrine in a 10 mL syringe and a 27 ga, 1.5" needle Wet Betadine prep tray scrub and paint (or chloraprep if allergic)

4x4" gauze (or similar)

Instruments & Supplies

Tray- Depending on specific case, possibly "Head and Neck Major"

Bipolar cautery - bayonet forceps, guarded

Bovie pencil and guarded flat blade tip

Large "U" split drape

Stapler

Size 8 Sensicare gloves for CDL

XL, XLNG surgical gown for CDL

#15 scalpel blades

Tenotomy scissors

Debakey x 2

Double prong skin hooks, wide x 2

Weitlander, hinged, medium x 2

Andrews metal Yankauer suction tip

Army-Navy retractors x 2

Right angle hemostat clamps x 2

Kitners (1 pack)
Saline for irrigation

Sutures: ASK, but maybe 2-0 silk on RB-1 x 2

3-0 Vicryl SH x 2

4-0 Monocryl on PS-2 x 1 5-0 Prolene, blue x 1

ASK: JP drain reservoir (have in room unopened)

10 Fr slotted Blake channel drain on a trocar (have in room unopened)

Wound dressings, ASK, but maybe:

Bacitracin Xeroform strip

Telfa

Tegaderms - 2 small, 2 medium

Equipment

Headlight

Electrocautery (Bovie)

ASK: shoulder roll (gel preferred) Head ring/donut (gel preferred)

ASK: Pump chair without arms (SurgiStool II)

OR table with adjustable angle head board at the top of the bed

ASK: Bair Hugger at/below nipples Optional: Fluid warmer on bed

SCDs

Optional: Pillow for under knees

OR Neptune

Extension ("pediatric") airway circuit tubing

Patient in Room to Induction

ASK about turning of table (usually 90 or 180 degrees)

Adjustable angle head board at top of bed

Position patient at tippy top of bed

Pre-op antibiotic within 60 minutes before incision

ASK regarding paralysis during case

Decision for foley per anesthesia service

From Induction to Start

Arm on operative side tucked with padding

10 mL of 1-2% lido with epi 1:100,000 (or similar) with 27 ga needle.

Doctor will inject local prior to prep.

Bair Hugger for lower body at/below nipples

Betadine paint - From nose to below the nipple line, right face, neck, chest but crossing midline. Try not to erase markings.

Bovie set to 15 cut/15 coag

Mid Operation

Music and background discussion quiet, please.

Specimen for pathology- usually routine pathology in formalin, but ASK Mild hypotension, such as SBP ~105 mmHg for adult, if tolerated.

Keep a squared Ray-tec on the field at all times

Closing

Dressing: ASK, but maybe Bacitracin, Xeroform strip, Telfa, Tegaderm for the incision.

Emergence to Patient Exit

Thank you for reading this!